



---

**ISO Viscosity Grades**

---

**VISCOSITY SYSTEM FOR INDUSTRIAL LUBRICANTS - ASTM D-2422-86**

ISO Grade	Mid-Point Viscosity CSt @ 40°C	Minimum Of Grade	Maximum Of Grade	AGMA (Gear) Number
VG 2	2.2	1.98	2.4	
VG 3	3.2	2.88	3.52	
VG 5	4.6	4.14	5.06	
VG 7	6.8	6.12	7.48	
VG 10	10	9	11	
VG 15	15	13.5	16.5	
VG 22	22	19.8	24.2	
VG 32	32	28.8	35.2	
VG 46	46	41.4	50.6	1
VG 68	68	61.2	74.8	2
VG 100	100	90	110	3
VG 150	150	135	165	4
VG 220	220	198	242	5
VG 320	320	288	352	6
VG 460	460	414	506	7
VG 680	680	612	748	8
VG 1000	1000	900	1100	8A
VG 1500	1500	1350	1650	